

Cricophorus nutrix ◀

Small anemone with column usually brown and smooth, but can vary between yellow, orange, brown or green. Tentacles thin and brown, sometimes outer tentacles are pale blue. Oral disc iridescent, variously coloured orange, white, green or purple and may be covered with green brown or white radiating lines. Mouth border pink, green or white.

Standout feature: Brown column, found on large brown algae.

Zone: Low to mid intertidal. Found attached to fucoid algae like *Cystophora*, *Hormosira*, or *Carpophyllum*.

Distribution: No information found.

Specimen from: Wairepo, Kaikoura.

Scale: 5mm.

Corynactis haddoni ▶

'Jewel anemone'. Tentacles transparent and numerous, with coloured knobbed ends. Radial arrangement of tentacles. It reproduces by fission and therefore is gregarious with colour pattern varying among colonies. Bright green and pink colonies have been observed in Kaikoura.


Standout feature: Transparent tentacles with coloured knobbed ends.

Zone: Low intertidal to 30m, under ledges on open coasts.

Distribution: No information found.

Specimen from: Sharks Tooth, Kaikoura.

Scale: 10mm.



Epiactis thompsoni ◀

Medium to large anemone with a longitudinally red and white or occasionally pale green striped column. Tentacles arranged in cycles, coloured dull green, brown, or grey with mauve or pink tips. Oral disc red or red-brown.

Standout feature: Red and white column, brown tentacles with pink tips.

Zone: Low to mid intertidal, in tidepools and crevices.

Distribution: No information found.

Specimen from: Wairepo, Kaikoura.

Scale: 10mm.

Isactinia olivacea ▶

Small to medium anemone usually coloured olive, emerald green, pale yellow or brown with a smooth column. The tapering tentacles are numerous and may also be tan or brownish. The base is generally broader than the height of the column.

Standout feature: Small, green column and uniform green or brown tentacles.

Zone: Low intertidal, in deep pools on exposed coasts concealed in crevices and under ledges.

Distribution: No information found.

Specimen from: Taylor's Mistake, Banks Peninsula.

Scale: 4mm.

